

ECAT Pre General Science Mathematics Chapter 15 Inverse Trigonometric Functions Online Test

Sr	Questions	Answers Choice
1	The domain of the principle sine function is	
2	The range of the principal sine function is	
3	The domain of the principle cos function is	
4	The domain of the principle tan function is	
5	The range of the principle cos function is	
6	The range of the principle cot function is	
7	Question Image	
8	Question Image	
9	Question Image	
10	Question Image	
11	Question Image	
12	Question Image	
13	Question Image	
14	Question Image	A. 0 B. -1 C. 1/2 D. 1
15	Question Image	
16	Question Image	
17	Question Image	
18	Question Image	
19	Question Image	
20	Question Image	
21	Question Image	
22	Question Image	
23	Question Image	
24	Question Image	
25	Question Image	
26	Question Image	
27	Question Image	
28	Question Image	
29	Question Image	
30	Question Image	
31	Question Image	
32	Question Image	

- 33 Question Image
- 34 Question Image
- 35 Question Image
- 36 Question Image
- 37 $\tan^{-1}(1/4) + \tan^{-1}(2/9)$ is equal to
A. $1/2 \cos^{-1}(3/5)$
B. $1/2 \sin^{-1}(3/5)$
C. $1/2 \tan^{-1}(3/5)$
D. $\tan^{-1}(1/2)$
- 38 The value of $\sin [\arccos(-1/2)]$ is
A. 1
B. -1
C. 0
D. None of these
- 39 Question Image
- 40 If $2 \tan^{-1}(\cos x) = \tan^{-1}(\operatorname{cosec}^2 x)$, then x is equal to
A. $<\span style="color: rgb(34, 34, 34); font-family: "Times New Roman"; font-size: 24px; text-align: center; background-color: rgb(255, 255, 248);><i>\pi</i>/ 3$
B. $<\span style="font-family: "Times New Roman"; font-size: 24px; color: rgb(34, 34, 34); text-align: center; background-color: rgb(255, 255, 248);><i>\pi</i>/ 2$
C. $<\span style="font-family: "Times New Roman"; font-size: 24px; color: rgb(34, 34, 34); text-align: center; background-color: rgb(255, 255, 248);><i>\pi</i>/ 6$
D. $<\span style="font-family: "Times New Roman"; font-size: 24px; color: rgb(34, 34, 34); text-align: center; background-color: rgb(255, 255, 248);><i>\pi</i>$
- 41 Question Image
- 42 Question Image
- 43 Question Image
- 44 Question Image
- 45 If $\cos^{-1}p + \cos^{-1}q + \cos^{-1}r = \pi$, then $p^2 + q^2 + r^2 + 2pqr$ is equal to
A. 3
B. 1
C. 2
D. -1
- 46 Question Image
- 47 Question Image
- 48 Question Image
- 49 Question Image

- 50 Question Image
- A. $\cos 2x = \sin 4y$
 B. $\cos 4y = \cos 2x$
 C. $\cos 3y = \sin 4x$
 D. None of these
-
- 51 Question Image
- A. $1/3$
 B. 1
 C. 3
 D. None of these
-
- 52 Question Image
- A. $x > 1$
 B. $x < 1$
 C. $x = 1$
 D. All values of x
-
- 53 $\tan^{-1}x > \cot^{-1}x$ holds for
- A. 1
 B. 0
 C. 3
 D. -3
-
- 54 Question Image
- A. 20
 B. 10
 C. 0
 D. None of these
-
- 55 Question Image
- A. 2
 B. 5
 C. 7
 D. None of these
-
- 56 Question Image
- A. $[0, 1]$
 B. $[-1, 1]$
 C. $[1, 3]$
 D. None of these
-
- 57 Question Image
- A. $16/7$
 B. $6/17$
 C. $7/16$
 D. None of these
-
- 58 The solution set of the equation $\tan^{-1}x - \cot^{-1}x = \cos^{-1}(2 - x)$ is
- A. $\pi / 3$
 B. $\pi / 4$
 C. $\pi / 2$
 D. None of these
-
- 59 Question Image
- A. $\pi / 16$
 B. $\pi / 6$
 C. $\pi / 7$
 D. None of these
-
- 60 Question Image
- A. $\pi / 3$
 B. $\pi / 4$
 C. $\pi / 6$
 D. $\pi / 2$
-
- 61 Question Image
- A. $\pi / 4$
 B. $\pi / 6$
 C. $\pi / 3$
 D. 0
-
- 62 $\tan(\cot^{-1}x)$ is equal to
- A. $\cot(\tan^{-1}x)$
 B. $\tan x$
 C. $\sec x$
 D. None of these
-
- 63 $\sin[\cot^{-1}\{\cos(\tan^{-1}x)\}] =$
- A. $\pi / 4$
 B. $\pi / 2$
 C. $\pi / 3$
 D. $\pi / 4$
-
- 64 Question Image
- A. $\pi / 3$
 B. $\pi / 4$
 C. $\pi / 6$
 D. $\pi / 2$
-
- 65 Question Image
- A. $\pi / 3$
 B. $\pi / 4$
 C. $\pi / 6$
 D. 0
-
- 66 Question Image
- A. 5
 B. $1/5$
 C. $5/14$
 D. $14/5$
-
- 67 Question Image
- A. 0
 B. 2
 C. 1
 D. Infinite
-
- 68 If $\tan^{-1}3 + \tan^{-1}x = \tan^{-1}8$, then $x =$
- A. 0
 B. 2
 C. 1
 D. Infinite
-
- 69 The number of triplets (x, y, z) satisfying $\sin^{-1}x + \cos^{-1}y + \sin^{-1}z = 2\pi$ is

- 70 $\sin^{-1}[-1/2] = \underline{\hspace{2cm}}$
A. $\sin x$
B. $\sec^{-1}x$
C. $\cot^{-1}x$
D. None of these
- 71 $\tan^{-1}1/x = \underline{\hspace{2cm}}$
A. $\cos^{-1}1/x$
B. $-\sin^{-1}x$
C. $\cot^{-1}x$
D. None of these
- 72 $\sin^{-1}(-x) = \underline{\hspace{2cm}}$
A. $\cos^{-1}1/x$
B. $\cosec^{-1}1/x$
C. $\cos^{-1}(-x)$
D. $\tan^{-1}x$
- 73 $\sec^{-1}x = \underline{\hspace{2cm}}$
A. $\pi/3$
B. $\pi/4$
C. $2\pi/3$
D. $\pi/2$
- 74 The principal value of $\sin^{-1}\sqrt{3}/2$ is
A. $\pi/3$
B. $\pi/4$
C. $2\pi/3$
D. $\pi/2$
- 75 The principal value of $\sin^{-1}(-1/2)$
A. $\pi/3$
B. $\pi/4$
C. $\pi/6$
D. $-\pi/6$
- 76 The domain of the function $y = \sin x$, is
A. $-\pi/2 \leq x \leq \pi/2$
B. $\pi/2 \leq x \leq \pi$
C. $-2\pi \leq x \leq 2\pi$
D. $-1 \leq x \leq 1$
- 77 $x = \sin^{-1} 3$, then the value of $\sin x$ is
A. $\sqrt{3}/2$
B. 3
C. Not possible
D. -1
- 78 In the interval $0 \leq x \leq \pi$, the sine is
A. Not a function
B. Not defined
C. Infinity
D. Not one-to-one function
- 79 The Principal value of $\sin^{-1}(-1/2)$
A. $\pi/2 < o:p></o:p>$
B. $-\pi/2 < o:p></o:p>$
C. $\pi < o:p></o:p>$
D. $-\pi < o:p></o:p>$
- 80 The value of $\sin^{-1} 5/13$ is equal to
A. $\cos 5/13$
B. $\tan^{-1} 5/12$
C. $\cos^{-1} 5/12$
D. $2 \cos^{-1} 4/5$
- 81 The value of $\sin^{-1} 24/25$ is equal to
A. $\csc^{-1} 25/24$
B. $\sec^{-1} 24/25$
C. $2 \tan^{-1} 4/5$
D. $2 \cos^{-1} 24/25$
- 82 The principal value of $\sin^{-1}[-\sqrt{(\sqrt{3})/2}]$ is
A. $5\pi/3$
B. $-2\pi/3$
C. 
D. $\pi/3$
- 83 $\sin(\sin^{-1}(1/2)) = \underline{\hspace{2cm}}$
A. 0
B. 2
C. ∞
D. $1/2$
- 84 $\sin^{-1}x = \underline{\hspace{2cm}}$
A. $\sin(\pi/2-x)$
B. $\sin^{-1}(\pi/2-x)$
C. $\pi/2 - \cos^{-1}x$
D. $\pi/2 + \cos^{-1}x$
- 85 $\sin(2\sin^{-1}0.8) = \underline{\hspace{2cm}}$
A. 0.56
B. 0.69
C. -0.16
D. 0.96
- 86 $\sin^{-1}(\sin 2\pi/3) = \underline{\hspace{2cm}}$
A. $\pi/2$
B. $2\pi/3$
C. $-3\pi/2$
D. $\pi/3$
- 87 $\sin^{-1}(-x) = \underline{\hspace{2cm}}$
A. x
B. $-x$
C. $-\sin^{-1}x$
D. $\cos^{-1}x$

- 88 $\sin^{-1} x =$
A. $\tan^{-1} x$
B. $\operatorname{Cosec}^{-1} x$
C. $\operatorname{Cosec} x$
D. $\operatorname{cosec}^{-1}(1/x)$
- 89 What is the value of $\cos^{-1}(1/2)$?
A. $\pi/3$
B. $\pi/4$
C. $3\pi/2$
D. $\pi/6$
- 90 The value of $\cos(\cos^{-1} 1/2)$ is
A. $1/2$
B. $\sqrt{3}/2$
C. $-1/2$
D. $1/\sqrt{2}$
- 91 What is the value of $\cos(\cos^{-1} 2)$?
A. $\sqrt{2}$
B. $1/2$
C. undefined
D. 0
- 92 The exact degree value of the function $\sin^{-1}(-\sqrt{3}/2)$ is
A. 70°
B. 50°
C. 90°
D. 60°
- 93 $\cos(\cos 4\pi/3) =$
A. $\pi/2$
B. $\pi/3$
C. $2\pi/3$
D. $-\pi/3$
- 94 If $\cos(2 \sin^{-1} x) = 1/9$, then what is the value of x ?
A. $1/3$
B. $-2/3$
C. $2/3$
D. $2/3, -2/3$
- 95 If $\pi \leq x \leq 2\pi$, then $\cos^{-1}(\cos x) =$
A. $\cos x$
B. $-x$
C. $1/x$
D. $-x$
- 96 $\cos^{-1}(-x) =$
A. $-x$
B. $1/x$
C. $\tan^{-1} x$
D. $\pi - \cos^{-1} x$
- 97 $\cos^{-1}(x) =$
A. $\cos x$
B. x
C. $\tan^{-1}(-x)$
D. $\sec^{-1}(1/x)$
- 98 $\cos^{-1}(\cos x) =$
A. x
B. $\cos x$
C. $x = 1/x$
D. $\cos^{-2} x$
- 99 $\cos^{-1} 12/13 =$
A. $\tan^{-1} 3/5$
B. $\cot^{-1} 13/12$
C. $\sec^{-1} 13/12$
D. $\sin^{-1} 5/13$
- 100 The exact value of $\cos^{-1}(0)$ is
A. $\pi/2$
B. $-\pi/2$
C. 3π
D. $\pi - \pi/6$
- 101 The exact value of $\cos^{-1}(-1) + \cos^{-1}(1) =$
A. π
B. $-\pi$
C. $\pi/2$
D. $\pi/3$