

Chemistry Fsc Part 1 Chapter 10 Online Test

| Sr | Questions | Answers Choice |
|----|--|--|
| 1 | The cathodic reaction in the electrolysis of dill. H_2SO_4 with Pt electrodes is | A. Reduction B. Oxidation C. Both oxidation and reduction D. Neither oxidation nor reduction |
| 2 | Which of the following statements is correct about galvanic cell | A. Anode is negative charged B. Reduction occurs at anode C. Cathode is positively charged D. Reduction occurs at cathode |
| 3 | Stronger the oxidizing agent, greater is the | A. oxidation potential B. Reduction potential C. Redox potential D. E.M.F of cell |
| 4 | If the salt bridge is not used between two half cells, then the voltage | A. Decreases rapidly B. Decreases slowly C. Does not change D. Drops to zero |
| 5 | If a strip of Cu metal is placed in a solution of FeSO_4 | A. Cu will be precipitated out B. Fe is precipitated out C. Cu and Fe both dissolve D. No reaction takes place |
| 6 | Oxidation number of carbon in NaHCO_3 | A. +4 B. -6 C. +6 D. +2 |
| 7 | Question Image | A. Fe is reduced B. Fe is oxidized C. $\text{Cl}_{2(g)}$ is oxidized D. None of these |
| 8 | According to classical concept, oxidation involves | A. Addition of oxygen B. Addition of electron C. Removal of hydrogen D. All are correct |
| 9 | The best reducing agent is | A. F^{-1} B. Cl^{-1} C. Br^{-1} D. I^{-1} |
| 10 | During the electrolysis of molten NaCl, the ion which is reduce is | |
| 11 | Electrolysis is a process in which a chemical reaction takes place at the expense of | A. Chemical energy B. Electrical energy C. Heat energy D. None of these |
| 12 | That cell in which electrical energy is converted into chemical energy is called | A. Galvanic cell B. Electrolytic cell C. Fuel cell D. Daniel cell |
| 13 | When a non-spontaneous redox reaction is carried out by using the electrical current, then the process is called | A. Decomposition of the substances B. Cracking C. Hydrolysis D. Electrolysis |
| 14 | The electrode reaction of a voltaic cell can be reversed when | A. Concentrations of solutions are changed B. Temperature is increased C. Electrodes are interchanged D. Electric circuit is employed to supply the source of electricity |
| 15 | Electromotive force of the cell is the | A. Difference of two electrode potentials B. May be sum or the difference of two electrode potentials C. Sum of two electrode potential |

| | | |
|----|---|--|
| | | D. Depends upon the nature of the cell |
| 16 | Electrochemical series is the arrangement of the electrodes in | A. Increasing order of reduction potentials B. Decreasing order of reduction potentials C. Increasing order of oxidation reduction potential D. There is no fixed arrangement |
| 17 | Fuel cells are the means by which chemical energy may be converted into | A. Heat energy B. Magnetic energy C. Sound energy D. Electric energy |
| 18 | The oxidation number of C in $C_{12}H_{22}O_{11}$ is | A. Zero B. - 6 C. + 6 D. 12 |
| 19 | The oxidation of O -atom in OF_3 is. | A. -2 B. +2 C. -1 D. +1 |
| 20 | In silver oxide battery, the cathode is mad up of. | A. AgO B. Ag_2O C. Ag_2O_3 D. Ag |
| 21 | Oxidation number of phosphorus in the compound is. | A. +3 B. +4 C. +5 D. +6 |
| 22 | In H_2SO_4 the oxidation number of 'S' is | A. +2 B. +6 C. +8 D. +4 |
| 23 | Oxidation number of Cr in a C_2CrO_4 is | A. +2 B. +4 C. +6 D. +8 |
| 24 | If a strips of Cu metal is placed in a solution of $FeSO_4$ | A. Cu will be precipitated down B. Fe is precipitated out C. Cu and Fe both dissolve D. No reaction takes palce |
| 25 | The cathodic reaction in the electrolysis of dil H_2SO_4 , with pt electrode sis. | A. Reduction B. Oxidation C. Both oxidation and reduction D. Neither oxidation nor reduction |
| 26 | If the salt bridge is not used between two half cells, then the voltage. | A. Decrease rapidly B. Decrease slowly C. Drops to zero D. Does not change |
| 27 | Stronger the oxidizing agent greater is the | A. Oxidation potential B. Reduction potential C. Redox potential D. E.M.F of cell |
| 28 | The reduction potential of Zn is. | A. +0.76 V B. -0.34 B C. +0.34 V D. -0.76 V |
| 29 | A single lead cell provides volts | A. 2 B. 4 C. 6 D. 8 |
| 30 | The voltage Nickel Cadmium cell is | A. 1 V B. 1.2 V C. 1.4 V D. 1.6 V |
| 31 | The cathodic reaction in the electrolysis of dil H_2SO_4 with Pt electrodes is. | A. Reduction B. Oxidation C. Both oxidation or reduction D. Neither oxidation nor raduction |
| 32 | Which statements not correct about Galvanic cell. | A. Anode in negatively charge B. Reduction occur at anode C. Cathode is positively charged |

| | | |
|----|---|--|
| | | <p>..... is primarily changed</p> <p>D. Reduction occur at cathode</p> |
| 33 | If salt bridge is not used between two half cells, than the voltage. | <p>A. Decreases rapidly</p> <p>B. Decreases slowly</p> <p>C. Does not change</p> <p>D. Drops of zero</p> |
| 34 | If strip of Cu metal is placed in the solution of FeSO ₄ | <p>A. Cu will be precipitated out</p> <p>B. Fe is precipitated out</p> <p>C. Cu and Fe both dissolves</p> <p>D. No reaction takes place</p> |
| 35 | In the reaction $2\text{Fe} + 3\text{Cl}_2 \rightarrow \text{FeCl}_2$ | <p>A. Fe is reduced</p> <p>B. Fe is oxidized</p> <p>C. Cl₂ is oxidized</p> <p>D. None of these happens</p> |
| 36 | In given equation underlined element is. $\text{P} + \text{HNO}_3 \rightarrow \text{H}_2\text{PO}_4 + \text{NO} + \text{H}_2\text{O}$ | <p>A. Oxidized</p> <p>B. Reduced</p> <p>C. Neither oxidized nor reduced</p> <p>D. Both a and b</p> |
| 37 | The gain of electron is known as. | <p>A. Oxidation</p> <p>B. Reduction</p> <p>C. Dehydration</p> <p>D. Dehydrogenation</p> |
| 38 | When an atom reacts chemically and loses one or more electrons it is. | <p>A. Decomposed</p> <p>B. Reduced</p> <p>C. Oxidized</p> <p>D. Catalyzed</p> |
| 39 | What is the oxidation state of sulphur in SO ₃ ²⁻ | <p>A. -4</p> <p>B. -2</p> <p>C. +2</p> <p>D. +4</p> |
| 40 | In which compound the oxidation number of Mn is +6 | <p>A. KMnO₄</p> <p>B. K₂MnO₄</p> <p>C. MnO₂</p> <p>D. MnO</p> |
| 41 | In which compound oxidation state of chlorine is +5 | <p>A. NaCl</p> <p>B. HOCl</p> <p>C. NaClO₃</p> <p>D. NaClO₂</p> |
| 42 | What is oxidation state of chlorine in Ca(ClO ₃) ₂ | <p>A. +1</p> <p>B. +3</p> <p>C. +5</p> <p>D. +7</p> |
| 43 | In which of the following changes, nitrogen is reduced. | <p>A. NH₃ to NO</p> <p>B. NH₃ to NO₃</p> <p>C. N₂ to NH₃</p> <p>D. N₂ to N₂</p> |
| 44 | The cell in which a non spontaneous redox reaction takes place as a result of electricity is known as. | <p>A. Voltaic cell</p> <p>B. Denial cell</p> <p>C. dry Cell</p> <p>D. Electrolytic cell</p> |
| 45 | The cell in which a non spontaneous redox reaction takes place as a result of electricity is known as. | <p>A. Voltaic cell</p> <p>B. Denial cell</p> <p>C. dry Cell</p> <p>D. Electrolytic cell</p> |
| 46 | When aqueous NaCl is electrolyzed, which of the following ions gas discharged at anode. | <p>A. Cl⁻</p> <p>B. OH⁻</p> <p>C. Na⁺</p> <p>D. H⁺</p> |
| 47 | In a electrolytic cell the electrons flow from | <p>A. Cathode to anode</p> <p>B. Anode to cathode</p> <p>C. From cathode to anode or opposite, depending upon the nature of electrolyte</p> <p>D. All of the above</p> |
| 48 | Electrolysis is used for | <p>A. Electroplating</p> <p>B. Refining of copper</p> <p>C. Manufacture of caustic soda</p> <p>D. All of the above</p> |
| 49 | In electrolysis of aqueous NaCl, Cl ⁻ ions are. | <p>A. Oxidized at anode</p> <p>B. Oxidized at cathode</p> <p>C. Reduced at cathode</p> <p>D. Neither oxidized nor reduced</p> |

| | | |
|----|---|--|
| 50 | Alkali and alkaline earth metal are usually obtained by | A. Decomposition of their carbonates B. By heating their hydroxide C. electrolysis of molten metal oxides D. Electrolysis of molten metal halides |
| 51 | A cell in which electric current is produced as a result of spontaneous redox reaction is called. | A. Electrolytic cell B. Galvanic cell C. Half cell reaction D. Down's cell |
| 52 | In Daniel cell, if salt bridge is removed between the two half cells, the voltage. | A. Drops to zero B. Does not changes C. Increases gradually D. Increases rapidly |
| 53 | Standard hydrogen electrode has an arbitrarily fixed potential | A. 0.00 volts B. 1.00 volt C. 0.10 volt D. None of these |
| 54 | The difference of potential of two electrodes when concentration of solution is 1 M each at 25 °C and 1 atmosphere is called. | A. Electrode potential B. Standard cell potential C. Cell reaction D. Cell voltage |
| 55 | Cell potential depends upon | A. Temperature B. Concentration of ions C. Nature of electrolyte D. All of above |
| 56 | The over all positive value for the reaction potential predicts that process is energetically. | A. Not feasible B. Feasible C. Impossible D. No indication |
| 57 | Which has greater reduction potential | A. Na B. H ₂ C. Zn D. F ₂ |
| 58 | Which is not use of electrochemical series. | A. Feasibility of reaction B. Measurement of EMF of cell C. Comparison of reactivity with water or acids D. Determination of atomic and ionic radii |
| 59 | In lead accumulator cathode is made up of. | A. Pb B. Pb coated with PbO ₂ C. PbSO ₄ D. Mixture of Pb and PbO ₂ |
| 60 | Electrode of the lead storage battery are immersed in dilute H ₂ SO ₄ which has strength by mass | A. 100% B. 98% C. 30% D. 10% |
| 61 | Fuel cells are mostly used in space air crafts as the source of. | A. Power only B. Drinking water C. Drinking water and power D. Fuel and drinking water |
| 62 | In NICAD dry cell, the cathode and anode is made up of. | A. Ca and Ag B. Ni and CdO ₂ C. NiO ₂ and Cd D. Ag and Ag ₂ O |
| 63 | Which is not chargeable cell | A. Lead accumulator B. NiCAD cell C. Fuel cell D. Alkaline battery |
| 64 | In silver oxide battery, anode is made of. | A. Zinc B. Copper C. Lead D. Graphite |