


Chemistry Fsc Part 1 Chapter 10 Online Test

Sr	Questions	Answers Choice
1	The cathodic reaction in the electrolysis of dill. H_2SO_4 with Pt electrodes is	A. Reduction B. Oxidation C. Both oxidation and reduction D. Neither oxidation nor reduction
2	Which of the following statements is correct about galvanic cell	A. Anode is negative charged B. Reduction occurs at anode C. Cathode is positively charged D. Reduction occurs at cathode
3	Stronger the oxidizing agent, greater is the	A. oxidation potential B. Reduction potential C. Redox potential D. E.M.F of cell
4	If the salt bridge is not used between two half cells, then the voltage	A. Decreases rapidly B. Decreases slowly C. Does not change D. Drops to zero
5	If a strip of Cu metal is placed in a solution of FeSO_4	A. Cu will be precipitated out B. Fe is precipitated out C. Cu and Fe both dissolve D. No reaction takes place
6	Oxidation number of carbon in NaHCO_3	A. +4 B. -6 C. +6 D. +2
7		A. Fe is reduced B. Fe is oxidized C. $\text{Cl}_{2(g)}$ is oxidized D. None of these
8	According to classical concept, oxidation involves	A. Addition of oxygen B. Addition of electron C. Removal of hydrogen D. All are correct
9	The best reducing agent is	A. F^{-1} B. Cl^{-1} C. Br^{-1} D. I^{-1}
10	During the electrolysis of molten NaCl, the ion which is reduce is	
11	Electrolysis is a process in which a chemical reaction takes place at the expense of	A. Chemical energy B. Electrical energy C. Heat energy D. None of these
12	That cell in which electrical energy is converted into chemical energy is called	A. Galvanic cell B. Electrolytic cell C. Fuel cell D. Daniel cell
13	When a non-spontaneous redox reaction is carried out by using the electrical current, then the process is called	A. Decomposition of the substances B. Cracking C. Hydrolysis D. Electrolysis
14	The electrode reaction of a voltaic cell can be reversed when	A. Concentrations of solutions are changed B. Temperature is increased C. Electrodes are interchanged D. Electric circuit is employed to supply the source of electricity
15	Electromotive force of the cell is the	A. Difference of two electrode potentials B. May be sum or the difference of two electrode potentials C. Sum of two electrode potential

		D. Depends upon the nature of the cell
16	Electrochemical series is the arrangement of the electrodes in	A. Increasing order of reduction potentials B. Decreasing order of reduction potentials C. Increasing order of oxidation reduction potential D. There is no fixed arrangement
17	Fuel cells are the means by which chemical energy may be converted into	A. Heat energy B. Magnetic energy C. Sound energy D. Electric energy
18	The oxidation number of C in $C_{12}H_{22}O_{11}$ is	A. Zero B. - 6 C. + 6 D. 12
19	The oxidation of O -atom in OF_3 is.	A. -2 B. +2 C. -1 D. +1
20	In silver oxide battery, the cathode is mad up of.	A. AgO B. Ag ₂ O C. Ag ₂ O ₃ D. Ag
21	Oxidation number of phosphorus in the compound is.	A. +3 B. +4 C. +5 D. +6
22	In H_2SO_4 the oxidation number of 'S' is	A. +2 B. +6 C. +8 D. +4
23	Oxidation number of Cr in a C_2CrO_4 is	A. +2 B. +4 C. +6 D. +8
24	If a strips of Cu metal is placed in a solution of $FeSO_4$	A. Cu will be precipitated down B. Fe is precipitated out C. Cu and Fe both dissolve D. No reaction takes palce
25	The cathodic reaction in the electrolysis of dil H_2SO_4 , with pt electrode sis.	A. Reduction B. Oxidation C. Both oxidation and reduction D. Neither oxidation nor reduction
26	If the salt bridge is not used between two half cells, then the voltage.	A. Decrease rapidly B. Decrease slowly C. Drops to zero D. Does not change
27	Stronger the oxidizing agent greater is the	A. Oxidation potential B. Reduction potential C. Redox potential D. E.M.F of cell
28	The reduction potential of Zn is.	A. +0.76 V B. -0.34 B C. +0.34 V D. -0.76 V
29	A single lead cell provides volts	A. 2 B. 4 C. 6 D. 8
30	The voltage Nickel Cadmium cell is	A. 1 V B. 1.2 V C. 1.4 V D. 1.6 V
31	The cathodic reaction in the electrolysis of dil H_2SO_4 with Pt electrodes is.	A. Reduction B. Oxidation C. Both oxidation or reduction D. Neither oxidation nor raduction
32	Which statements not correct about Galvanic cell.	A. Anode in negatively charge B. Reduction occur at anode C. Cathode is positively charged

		<p>..... is primarily changed</p> <p>D. Reduction occur at cathode</p>
33	If salt bridge is not used between two half cells, than the voltage.	<p>A. Decreases rapidly</p> <p>B. Decreases slowly</p> <p>C. Does not change</p> <p>D. Drops of zero</p>
34	If strip of Cu metal is placed in the solution of FeSO ₄	<p>A. Cu will be precipitated out</p> <p>B. Fe is precipitated out</p> <p>C. Cu and Fe both dissolves</p> <p>D. No reaction takes place</p>
35	In the reaction $2\text{Fe} + 3\text{Cl}_2 \rightarrow \text{FeCl}_2$	<p>A. Fe is reduced</p> <p>B. Fe is oxidized</p> <p>C. Cl₂ is oxidized</p> <p>D. None of these happens</p>
36	In given equation underlined element is. $\text{P} + \text{HNO}_3 \rightarrow \text{H}_2\text{PO}_4 + \text{NO} + \text{H}_2\text{O}$	<p>A. Oxidized</p> <p>B. Reduced</p> <p>C. Neither oxidized nor reduced</p> <p>D. Both a and b</p>
37	The gain of electron is known as.	<p>A. Oxidation</p> <p>B. Reduction</p> <p>C. Dehydration</p> <p>D. Dehydrogenation</p>
38	When an atom reacts chemically and loses one or more electrons it is.	<p>A. Decomposed</p> <p>B. Reduced</p> <p>C. Oxidized</p> <p>D. Catalyzed</p>
39	What is the oxidation state of sulphur in SO ₃ ²⁻	<p>A. -4</p> <p>B. -2</p> <p>C. +2</p> <p>D. +4</p>
40	In which compound the oxidation number of Mn is +6	<p>A. KMnO₄</p> <p>B. K₂MnO₄</p> <p>C. MnO₂</p> <p>D. MnO</p>
41	In which compound oxidation state of chlorine is +5	<p>A. NaCl</p> <p>B. HOCl</p> <p>C. NaClO₃</p> <p>D. NaClO₂</p>
42	What is oxidation state of chlorine in Ca(ClO ₃) ₂	<p>A. +1</p> <p>B. +3</p> <p>C. +5</p> <p>D. +7</p>
43	In which of the following changes, nitrogen is reduced.	<p>A. NH₃ to NO</p> <p>B. NH₃ to NO₃</p> <p>C. N₂ to NH₃</p> <p>D. N₂ to N₂</p>
44	The cell in which a non spontaneous redox reaction takes place as a result of electricity is known as.	<p>A. Voltaic cell</p> <p>B. Denial cell</p> <p>C. dry Cell</p> <p>D. Electrolytic cell</p>
45	The cell in which a non spontaneous redox reaction takes place as a result of electricity is known as.	<p>A. Voltaic cell</p> <p>B. Denial cell</p> <p>C. dry Cell</p> <p>D. Electrolytic cell</p>
46	When aqueous NaCl is electrolyzed, which of the following ions gas discharged at anode.	<p>A. Cl⁻</p> <p>B. OH⁻</p> <p>C. Na⁺</p> <p>D. H⁺</p>
47	In a electrolytic cell the electrons flow from	<p>A. Cathode to anode</p> <p>B. Anode to cathode</p> <p>C. From cathode to anode or opposite, depending upon the nature of electrolyte</p> <p>D. All of the above</p>
48	Electrolysis is used for	<p>A. Electroplating</p> <p>B. Refining of copper</p> <p>C. Manufacture of caustic soda</p> <p>D. All of the above</p>
49	In electrolysis of aqueous NaCl, Cl ⁻ ions are.	<p>A. Oxidized at anode</p> <p>B. Oxidized at cathode</p> <p>C. Reduced at cathode</p> <p>D. Neither oxidized nor reduced</p>

50	Alkali and alkaline earth metal are usually obtained by	A. Decomposition of their carbonates B. By heating their hydroxide C. electrolysis of molten metal oxides D. Electrolysis of molten metal halides
51	A cell in which electric current is produced as a result of spontaneous redox reaction is called.	A. Electrolytic cell B. Galvanic cell C. Half cell reaction D. Down's cell
52	In Daniel cell, if salt bridge is removed between the two half cells, the voltage.	A. Drops to zero B. Does not changes C. Increases gradually D. Increases rapidly
53	Standard hydrogen electrode has an arbitrarily fixed potential	A. 0.00 volts B. 1.00 volt C. 0.10 volt D. None of these
54	The difference of potential of two electrodes when concentration of solution is 1 M each at 25 °C and 1 atmosphere is called.	A. Electrode potential B. Standard cell potential C. Cell reaction D. Cell voltage
55	Cell potential depends upon	A. Temperature B. Concentration of ions C. Nature of electrolyte D. All of above
56	The over all positive value for the reaction potential predicts that process is energetically.	A. Not feasible B. Feasible C. Impossible D. No indication
57	Which has greater reduction potential	A. Na B. H ₂ C. Zn D. F ₂
58	Which is not use of electrochemical series.	A. Feasibility of reaction B. Measurement of EMF of cell C. Comparison of reactivity with water or acids D. Determination of atomic and ionic radii
59	In lead accumulator cathode is made up of.	A. Pb B. Pb coated with PbO ₂ C. PbSO ₄ D. Mixture of Pb and PbO ₂
60	Electrode of the lead storage battery are immersed in dilute H ₂ SO ₄ which has strength by mass	A. 100% B. 98% C. 30% D. 10%
61	Fuel cells are mostly used in space air crafts as the source of.	A. Power only B. Drinking water C. Drinking water and power D. Fuel and drinking water
62	In NICAD dry cell, the cathode and anode is made up of.	A. Ca and Ag B. Ni and CdO ₂ C. NiO ₂ and Cd D. Ag and Ag ₂ O
63	Which is not chargeable cell	A. Lead accumulator B. NiCAD cell C. Fuel cell D. Alkaline battery
64	In silver oxide battery, anode is made of.	A. Zinc B. Copper C. Lead D. Graphite