

## Physics ICS Part 1 Chapter 11 Online Test

Sr	Questions	Answers Choice
1	Transformation of heat other forms of energy is discussed in	A. Thermal physics B. Thermodynamics C. Atomic physics D. Nuclear physics
2	Almost all the raw energy is librated from	A. Heat B. Earth C. Light D. All of these
3	The behaviour of gases is discussed by	A. Knowing their nature B. Knowing their temperature C. Kinetic theory D. Maxwell's theory
4	A finite volume of gas consists of	A. Small no. of molecules B. Large no. of molecule C. Average no. of molecule D. None of these
5	Size of the molecules is much smaller as compared to the	<ul><li>A. Mass of the molecules</li><li>B. Distance between the molecules</li><li>C. Density of the molecules</li><li>D. Volume of the molecules</li></ul>
6	The motion of gas molecules is	<ul><li>A. In the same direction</li><li>B. Random</li><li>C. Walls of container</li><li>D. Opposite to each other</li></ul>
7	The collision between the gas molecules is	A. Elastic B. Inelastic C. Both a and b D. None of these
8	Mercury is used as a thermometric substance because	A. It is opaque B. Does not stick to glass C. Has low specific heat D. All of these
9	The temperature of human body on Kelvin scale is	A. 210K B. 310K C. 410K D. 510K
10	Pressure 'P' of a gas is defined as	A. F/A B. FA C. F/V D. F/D
11	The kinetic energy of molecules of an ideal gas at absolute zero is	A. Very low B. Very high C. Zero D. First increases then decreases
12	The molecules of an ideal gas exert	A. Force on each other B. No force on each other C. Large force on each other D. Pressure on each other
13	First law of thermodynamics can be defined by the equation	
14	Which of following is irreversible process	<ul> <li>A. Slow compression of an elastic spring</li> <li>B. Slow evaporation of substances in isolated vessel</li> <li>C. Slow expansion of a gas</li> <li>D. A chemical explosion</li> <li>E. </li> </ul>
15	The unit o pressure of gas is	A. Nm <sup>-2</sup> B. Pascal C. Atmosphere D. All of these

16	The efficiency of any heat engine can never be	A. +ve B. 100% Cve D. None of these
17	The energy processes, we use are	A. Efficient B. Not efficient C. Reversible D. None of these
18	For a gas obeying Boyle's Law, if the pressure is doubled, the volume becomes.	A. Double B. Three fold C. One half D. Remains the same
19	Average translational K.E. of molecules for an ideal gas is given as	A. 1/2 KT B. KT C. 2/3 KT D. 3/2 KT
20	A device based upon the thermodynamics property of matter is called.	A. Calorimeter B. Heat engine C. thermometer D. Voltmeter
21	Heat is form of.	A. Power B. Momentum C. Energy D. Torque
22	The ideal gas law is.	A. PV =NVk B. P = NkT C. PV =nRT D. P=nRT
23	The SI unit of product of pressure and volume is.	A. <sub>Watt</sub> B. Joule C. Pascal D. Newton
24	S.I Unit of pressure of gas is.	A. Nm B. N.m C. N2/m D. N3m
25	A constant temperature, if pressure of a given mass of gas is halved, then its volume becomes.	A. Halve B. Doubled C. Four time D. Constant
26	The potential energy to the molecules of an ideal gas is considered to be.	A. Maximum B. Zero C. 1/2 kx <sup>2</sup> D. 1/2 kx
27	At constant temperature and pressure, if volume of given mass of a gas is doubled then density is.	A. Doubled B. 1/4 original C. 1/2 of original D. Unchanged
28	Temperature of a gas is increased from 27 oC to 127 oC. The ratio of its mean K.E. will be	A. 3/4 B. 9/16 C. 4/3 D. 10/9
29	Boltzman constant 'k' has same unit as.	A. Temperature B. Energy C. Entropy D. Pressure
30	If the temperature of a gas is constant then $<1/2$ mv2> of the molecules of gas will be.	A. Constant B. Zero C. Increase D. Decrease
31	The mean kinetic energy of gas is at.	A. 0 <sup>o</sup> C B273 <sup>o</sup> C C. 100 K D. 100 <sup>o</sup> C
32	The internal energy of a piece of lead when beaten by hammer will.	A. Increase B. Decrease C. Remains constant D. Increases and then decrease
33	For an ideal gas, the internal energy is directly proportional to.	A. Pressure B. volume C. Mass

		D. Temperature
34	At which of the following temperature a body has maximum internal energy.	A273 <sup>o</sup> C B. 0 K C. 273 K D273 K
35	In thermodynamics system internal energy decrease by 100 J and 100 J of work done on the system then heat lost will be.	A. Zero B. 100 J C. 200 J D200 J
36	A gas performs 10 J of work while expanding adiabatically. the change in its internal energy is.	A. 10 J B10 J C. 100 J D200 J
37	A diatomic gas molecules has	<ul> <li>A. Translational energy only</li> <li>B. Rotational energy only</li> <li>C. Vibrational energy only</li> <li>D. All translational, Rotational and vibrational energy</li> </ul>
38	The internal energy of system does not depend on	A. Temperature B. Pressure C. Path D. Final and initial state
39	Pascal is the unit of	A. Pressure B. Force C. Tension D. Weight
40	A system does 600 J of work and at the same time has its internal energy increased by 320 J. How much heat has been supplied.	A. 280 J B. 920 J C. 600 J D. 200 J
41	According to first law of thermodynamics the quantity which is conserved.	A. Force B. Momentum C. Energy D. Power
42	During adiabatic process, which factor remains constant.	A. Entropy B. Pressure C. Momentum D. Power
43	Which one is true for isothermal process.	A. Q = 0 B. W = 0 C. Q = W(D) Delta U = 0 D. None of these
44	Which is the process in which temperature of the system remains constant.	A. Adiabatic process B. Isochoric process C. Isothermal process D. Isobaric process
45	Which remains constant in an adiabatic process.	A. Volume B. Pressure C. entropy D. temperature
46	Cloud formation in atmosphere is an example of.	A. Isothermal process B. Isochoric process C. Adiabatic process D. Isobaric process
47	Entropy remains constant.	A. Isothermal process B. Adiabatic process C. Isochoric process D. Isobaric process
48	the change in internal energy is defined as	A. Q - W B. Q-T C. Q + P D. Q - P
49	the work done in isochoric process is.	A. Constant B. Variable C. Zero D. Depend upon condition
50	In the thermodynamics process , the equation $W$ = -delta U represents.	<ul><li>A. Isothermal expension</li><li>B. Isothermal compression</li><li>C. Adiabatic expansion</li><li>D. Adiabatic compression</li></ul>

51	The difference between two molar capacities is equal to.	<ul> <li>A. Plank's constant</li> <li>B. General gas constant</li> <li>C. Molar gas constant</li> <li>D. Boltzmann constant</li> </ul>
52	The work done is isochoric process is.	A. Constant B. Variable C. Zero D. Depend upon condition
53	The difference between tow molar capacities is equal to.	A. Plank's constant B. General gas equation C. Molar gas constant D. Boltzmann constant
54	For a diatomic gas Cv= 5R/2 then gamma for this gas is.	A. 5/7 B. 4/35 C. 7/5 D. 35/4
55	Which is an example of irreversible process.	A. Explosion B. Evaporation C. Slow compression D. A chemical explosion
56	No of spark plugs needed in the diesel engine are.	A. 0 B. 1 C. 2 D. 3
57	The efficiency of diesel engine is about	A. 25 % to 30% B. 35% to 40% C. 40% to 50% D. 50% to 60%
58	For working of heat engine, there must be	A. A source B. A sink C. Ether of these D. Both of them
59	The efficiency of heat engine whose sink is at 17 $^{\rm O}{\rm C}$ and source at 200 $^{\rm O}{\rm C}$ is.	A. 38% B. 63% C. 80% D. 90%
60	For working of heat engine, there must be.	A. A source B. A sink C. either of these D. Both of these
61	An ideal reversible heat engine has	A. 100% efficiency B. Highest efficiency C. 80% D. 90%
62	An ideal heat engine can only be 100% efficient if its cold temperature reservoir is at.	A. 0 K B. 0 <sup>o</sup> C C. 100 K D. 100 <sup>o</sup> C
63	The curve representing an adiabatic process is called.	A. An adiabatic B. An isotherm C. Both of these D. None of these
		D. None of these
64	Carnot cycle consists of.	A. Two steps B. Three steps C. Four steps D. Five steps
64 65	Carnot cycle consists of. The Carnot cycle can be shown by which graph	A. Two steps B. Three steps C. Four steps D. Five steps A. P - T graph B. P - V Graph C. V- T graph D. PV -T graph
64 65 66	Carnot cycle consists of. The Carnot cycle can be shown by which graph The measure of hotness or coldness of a substance is.	A. Two steps B. Three steps C. Four steps D. Five steps A. P - T graph B. P - V Graph C. V- T graph D. PV - T graph D. PV - T graph A. Temperature B. Heat C. Internal energy D. Energy
64 65 66 67	Carnot cycle consists of. The Carnot cycle can be shown by which graph The measure of hotness or coldness of a substance is. In case the work done in zero.	A. Two steps B. Three steps C. Four steps D. Five steps A. P - T graph B. P - V Graph C. V - T graph D. PV - T graph A. Temperature B. Heat C. Internal energy D. Energy A. Constant pressure B. Constant volume C. Constant temperature D. Constant mass

69	The efficiency of a Carnot Heat Engine is 100% if temperature of sink T2 is.	A. 0 <sup>o</sup> C B. 0 K C. 0 <sup>o</sup> F D. 100 K
70	A Carnot engine has an efficiency of 50% when its sink temperature is at 27 <sup>o</sup> C. The temperature of source.	A. 273 <sup> o</sup> C B. 300 <sup>o</sup> C C. 327 <sup>o</sup> C D. 373 <sup>o</sup> C
71	If heat engine absorb 400 J and rejects 200 J heat energy, its efficiency will be.	A. 25% B. 50% C. 70% D. 100%
72	If the temperature of sink is absolute zero then the efficiency of heat engine engine should be.	A. 100% B. 50% C. Infinite D. zero
73	Efficiency of a heat engine working between 27 $^{ m o}$ C and 32 $^{ m o}$ C will be.	A. 50% B. 90% C. 40% D. 62%
74	Value of triple point of water is given as.	A. Zero K B. 100 K C. 273.16 K D. 373.16 K
75	Unite of thermodynamics scale of temperature is.	A. Centigrade B. Fahrenheit C. Kelvin D. Celsius
76	The temperature scale which is independent of nature of substance is.	A. Thermodynamic scale B. Centigrade scale C. Fahrenheit scale D. Regnault scale
77	The actual efficiency of property turned petrol engine is.	A. 20% to 30% B. 30% to 35% C. 40% to 45% D. 25% to 30%
78	No spark plug is needed in the	A. Petrol engine B. Diesel engine C. Gas engine D. Water engine
79	The efficiency of diesel engine is about	A. 25% to 30% B. 35% to 40% C. 40% to 50% D. 50% to 60%
80	The number of spark plug needed in diesel engine is	A. 0 B. 2 C. 3 D. 4
81	A cycle of petrol engine undergoes	A. Two process B. Three process C. Four process D. single process
82	Force acting on the piston to move outward is.	A. Compressive stoke B. Power stoke C. All stoke D. Exhaust stoke
83	The entropy of the universe with passage of time is.	<ul><li>A. Increases</li><li>B. Decreases</li><li>C. Remain constant</li><li>D. Increases and decreases</li></ul>
84	Efficiency of steam locomotive is.	A. 8% B. 10% C. 9% D. 7%
85	In reversible process the entropy of system.	A. Remain constant B. Decrease C. Increase D. Becomes zero
86	Entropy of measure of.	A. Internal energy of system B. Order of system C. Disorder of system

		D. Potential energy of system
87	Not change in entropy of a system after one complete Carnot cycle is.	A. Positive B. Negative C. Zero D. None of these
88	The increase in thermal pollution of environment means.	<ul><li>A. Increase in the entropy</li><li>B. Decrease in the entropy</li><li>C. Entropy remains constant</li><li>D. Entropy becomes zero</li></ul>
89	When temperature of source and sink of a heat engine becomes equal then the entropy change will be.	A. zero B. Minimum C. Maximum D. Negative
90	When hot and cold water are mixed, the entropy.	A. Decreases B. Increases C. Remain constant D. Zero
91	If heat is added to a system, then its entropy will.	A. Increases and positive B. Decrease and positive C. Increases but negative D. Decreases but negative
92	Environmental crisis are also known as	A. Population crisis B. Entropy crisis C. War crisis D. Mass crisis