

Physics ICS Part 1 Chapter 9 Online Test

Sr	Questions	Answers Choice
1	Huygen's proposed, light energy travels in space from source in	A. 1578 B. 1678 C. 1778 D. 1868
2	Which of the following is evidence of wave nature of light	A. Interference B. Diffraction C. Polarization D. All of these
3	Young in 1801 performed experiment for the first time about	A. Interference B. Diffraction C. Polarization D. Particle nature of light
4	Light waves emitted from a source spread in	A. Specific direction B. All direction C. Upward direction D. None of these
5	In case of point source the shape of wave front is	A. Circular B. Spherical C. Elliptical D. Square
6	A ray of light is a line	A. Parallel to wave front B. Normal to wave front C. Anti-parallel to wave D. Any one of these
7	The distance between two consecutive wave front is equal to	A. One wave length B. Two wave length C. Half wave length D. Three wave length
8	Oil film floating on water exhibits colours due to	A. Interference B. Diffraction C. Polarization D. All of these
9	Bright fringes are also called as	A. Minima B. Maxima C. Wave front D. Ray of light
10	Dark fringes are also called as	A. Minima B. Maxima C. Wave front D. Ray of light
11	The centre of Newton's rings will be	A. Dark B. Bright C. Coloured D. Not visible
12	Standard metal according to Michelson's interferometer is equivalent to	A. 1553163.5 wave meter B. 3 x 108meter C. 15503000 meter D. None of these
13	In young's double slit experiment for the interference the central region will be	A. Dark B. Bright C. Coloured D. None of these
14	The property of bending of light around obstacles is	A. Interference B. Diffraction C. Polarization D. Superposition
15	The Bragg's equation is given by	
16	Internlaner distance can be determined by	A. Newton's rings B. Bragg's law

	micropianos diciando dan de determinos dy	C. Diffraction pattern D. Interferometer
17	According to Huygen's principle the points on primary wave front can be considered as	A. Secondary wavelets B. Ray of light C. Source of light D. None of these
18	Soap film is sunlight appears coloured due to.	A. Dispersion of light B. Diffraction of light C. Scattering of light D. Interference fo light
19	The light energy travels in space as waves was firstly proposed by	A. Maxwell B. Young C. Einsten D. Hydrogen
20	Angle between ray of light and wave front is	A. 0 ^o B. 60 ^o C. 90 ^o D. 120 ^o
21	In case of point source the shape of wave front is.	A. Plane B. spherical C. Circular D. Eliptical
22	the locus of all pint in the same wave of vibration is called.	A. Wave front B. Diffraction C. Interference D. Polarization
23	A ray of light shows the direction of propagation of light It is line which is.	A. Normal to the wave front B. Parallax to the wave front C. Opposite to the wave front D. Equal to the wave front
24	Hygen's principle is used for.	A. Explain polarization B. Locate the wave front C. Find the speed of light D. Find the index of refraction
25	According to Hygen's principle, each point on a wave front acts as a source of.	A. Secondary wavelet B. New wave front C. Sound D. Primary wavelet
26	The fringe spacing increases if we use.	A. Yellow light B. Green Igiht C. Blue light D. Red light
27	An oil film on water surface shows colour due to.	A. Diffraction B. Interference C. Polarization D. Dispersion
28	The blue colour of sky is due to	A. diffraction B. Reflection C. Polarization D. Scattering
29	Sodium chloride in a flame gives	A. Green light B. White light C. Red light D. Yellow light
30	Light entering rom air glass does not change in its.	A. Frequency B. Wavelength C. Velocity D. Direction
31	Fringe spacing is inversely proportional to.	A. Wave length B. Slit separation C. Distance between the slit and screen D. Frequency of light
32	Fringe spacing in Young's double slit experiment increases due to increase in.	A. Slit separation B. Wave length C. Order of Fringe D. Frequency of source
33	The fringe spacing in a double slit experiment can be increased by decreasing.	A. Wavelength of light B. Width of slits C. Slit separation D. Distance between the slits and the screen

A. Increase B. Decreases 34 In blue light is used as compare to red light then fringe spacing. C. Remain same D. Becomes zero A. Decreases B. Remain same 35 In red light is used as compare to blue light then fringe spacing. Increases D. Becomes zero A. Soap burble B. convex lens 36 Example of thin film is. C. Concave lens D. Glass plate A. Destructive interference B. Diffraction 37 The centre of Newton's fringe is dark due to. C. Constructive interference D. Polarization A. Interference B. Dispersion 38 Newton's rings are formed due to phenomenon of. C. Diffraction D. Polarization A. Dark B. Blue 39 When newton ring are seen through the transmitted light, then central spot is. C. Bright D. Red A. 5000 m When one mirror of a Michelson interferometer is moved a distance of 0.5 mm, 2000 fringes B. 50000 A^o 40 and observed, The wavelength of light used is. C. 500 cm D. 2000 A^o A. Velocity of light 41 Michelson's interferometer can be used ot find the C. Velocity of sound D. Wavelength of sound A. Refraction B. Polarization 42 Bending of light around the edges of an obstacle is called. C. Interference D. Diffraction A. 40 to 50 B. 400 to 5000 43 A typical diffraction grating has certain number of lines per centimeter whose range is. C. 400 to 500 D. 4000 to 5000 A. N/L If 'N' is number of lines rule don the grating having length 'L' then grating element 'd' is given B. 2N/L 44 D. W2L A. 10⁻⁸ m 45 The wavelength of X-rays is of the order of. C. 10⁻⁵m D. 10⁻⁴m A. Hemoglobin B. Stars 46 X-ray diffraction has been very useful in determining the structure of C. Galaxies D. Stones A. Reflected B. Refracted 47 Sound waves can not be Polarized D. Diffracted A. Interference B. Diffraction 48 The process of confining the beam of light to vibrate in one plane is called. D. Total internal refraction A. Refraction B. Reflection 49 Which phenomenon of light proves that light waves are transverse in nature. C. Diffraction D. Polarization A. Longitudinal waves B. Transverse wave 50 The phenomenon of polarization of light reveals that sun light is C. Electromagnetic waves D. Monochromatic wave A. Refraction B. Interference 51 The distinguish between transverse and longitudinal wave____ is used. C. Diffraction

		D. polarization
		A. Ultra violet rays
	Which one of the following can not be polarized.	B. Radio waves
		C. T.V. Waves
		D. Sound waves
	Intensity of light depend on	A. Wave length
		B. Amplitude
		C. Velocity
		D. Frequency
	Which is nooptically active	A. Sugar
		B. Tartaric acid
		C. Water
		D. Sodium chloride