

MDCAT Chemistry Chapter 8 Thermo-chemistry and Energetics of chemical reactions Online Test

Sr	Questions	Answers Choice
1	The element which has greatest value of Reduction potential is used as	A. Strongest reducing agent B. Weak oxidizing and strong reducing agent C. Strongest oxidizing agent D. None of these
2	If Cl_2 is passed through hot NaOH . NaClO_3 is formed and the oxidation number of Cl changes from	A. -1 to 0 B. 0 to +5 C. 0 to -1 D. 0 to +1
3	The emf produced by galvanic cell is called	A. Cell potential B. Oxidation potential C. Redox potential D. Reduction potential
4	Stronger the oxidizing agent, higher is	A. Redox potential B. Standard reduction potential C. Reduction potential D. $\text{Oxidation potential}$
5	Which of following is oxidation state of oxygen in peroxides?	A. -2 B. $1/2$ C. -1 D. +2
6	The reduction potentials of non-metals are A = +0.54V, B = +1.08V, C = +1.36V. D = +2.87V Which non-metal can displace all other from aqueous solution of their salts	A. A B. C C. B D. D
7	By the electrolysis of CuCl_2 using inert electrodes of platinum which species is deposited at cathode	A. H_2 B. O_2 C. Cu D. Cl
8	Which of the following statements is not correct about galvanic cell?	A. Anode is negatively charged B. Cathode is positively charged C. Reduction occurs at anode D. Reduction occurs at cathode
9	If a strip of Cu metal is placed in a solution of FeSO_4	A. Cu will be deposited B. Cu and Fe both dissolve C. Fe is precipitated out D. No reaction take place
10	Which of the following is an application of electrochemical series	A. Prediction of the feasibility of chemical reaction B. Calculation of the cell voltage C. Prediction of reaction of metal with dilute acid D. All of the above
11	Electrolytic products of dilute aqueous solution of sodium sulphate is	A. Na, SO_2 B. H_2 , SO_2 C. Na, O_2 D. H_2 , O_2
12	Which of the following salts would give the same products irrespective of whether its molten form or concentrated aqueous solution is electrolysed?	A. Magnesium bromide B. Magnesium sulphate C. Copper sulphate D. Copper chloride
13	Zinc reacts with dilute acids to liberate hydrogen. This is because:	A. Zn^{2+} ion is a powerful oxidising agent than H^+ ion B. H^+ ion is a powerful oxidising agent than Zn^{2+} ion C. Zn^{2+} ion is a powerful reducing agent than H^+ ion D. H^+ ion is a powerful reducing agent than Zn^{2+} ion
		A. Both undergo chemical change

14	Molten lead and lead (II) bromide both conduct electricity. Which one of the following statements relating to this is true?	<p>when they conduct</p> <p>B. Both conduct by the movement of charge particles</p> <p>C. Both will also conduct in the solid state</p> <p>D. Both contain mobile electrons</p>
15	The cell which converts electrical energy to chemical energy is called	<p>A. Electrochemical cell</p> <p>B. Voltaic cell</p> <p>C. Galvanic cell</p> <p>D. Down's cell</p>
16	The potential difference set up at 25 °C and 1 atm when electrode is dipped in 1 M of its ionic solution is called	<p>A. Single electrode potential</p> <p>B. electrode potential</p> <p>C. Standard electrode potential</p> <p>D. Standard hydrogen electrode</p>
17	On ascending the electrochemical series strength as reducing agent	<p>A. Increases</p> <p>B. Decreases</p> <p>C. Remains same</p> <p>D. not determinable</p>
18	When a metal rod is dipped in its 1 M ionic solution	<p>A. Electricity is produced</p> <p>B. Electricity is consumed</p> <p>C. Redox reaction occurs</p> <p>D. Potential difference is set up</p>
19	The standard reduction potential of Zinc is	<p>A. 0.76V</p> <p>B. 0.34</p> <p>C. -0.34V</p> <p>D. -0.76V</p>
20	Which one of the following metals can replace the Copper from aqueous solution of its salt more easily?	<p>A. Cd</p> <p>B. Fe</p> <p>C. Zn</p> <p>D. Na</p>
21	Only those metals can replace Hydrogen from dilute acids, which have	<p>A. High negative reduction potential</p> <p>B. Low negative reduction potential</p> <p>C. High positive reduction potential</p> <p>D. low positive reduction potential</p>
22	Coinage metals Cu, Ag, and Au are the least reactive because they have	<p>A. Negative reduction potential</p> <p>B. Positive reduction potential</p> <p>C. Negative oxidation potential</p> <p>D. Positive oxidation potential</p>
23	The products of electrolysis of which of the following are known	<p>A. Fused electrolyte</p> <p>B. Aqueous solution of electrolyte</p> <p>C. Solid electrolyte</p> <p>D. Solid metal</p>
24	During the electrolysis of Fused NaCl, the products are	<p>A. Na and H₂</p> <p>B. Na and Cl₂</p> <p>C. Na and O₂</p> <p>D. H₂ and Cl₂</p>
25	The electrochemical reactions occurring at both the electrodes along with the electrolytic conduction constitute	<p>A. Oxidation</p> <p>B. reduction</p> <p>C. Redox reaction</p> <p>D. electrolysis</p>
26	The working condition/s for SHE	<p>A. 1 atm pressure</p> <p>B. 1 M H⁺ solution</p> <p>C. 298 K temperature</p> <p>D. All of these</p>
27	The potential of SHE is taken as zero which is a value	<p>A. Reference</p> <p>B. Arbitrary</p> <p>C. Exact</p> <p>D. Experimental</p>
28	The electrochemical series is based on	<p>A. pH scale</p> <p>B. Redox scale</p> <p>C. Hydrogen scale</p> <p>D. Arrhenius scale</p>
29	SHE acts as anode when connected with Cu electrode but acts as cathode with Zn electrode	<p>A. Zn has less reduction potential than hydrogen and Cu</p> <p>B. Zn has high reduction potential than hydrogen and Cu</p> <p>C. Zn is below electrochemical series than hydrogen and Cu</p> <p>D. Zn has least tendency to lose electron</p>

A. Increased

30	If a salt bridge is removed from two half cells the emf is	A. Increased B. Decreased C. Dropped to zero D. Electrodes will be reversed
31	The element with highest E°_{red}	A. N B. F C. O D. Cl
32	The reaction which is responsible for the production of electricity in the voltaic cell is	A. Hydrolysis B. Oxidation C. Reduction D. Redox
33	In all oxidation reactions, atoms of an element in a chemical species lose electrons and increases their	A. Oxidation states B. Reduction states C. Electrode D. Negative charges
34	In MgCl_2 , the oxidation state of Cl is	A. Zero B. -2 C. +2 D. -1
35	In SO_4^{2-} the oxidation number of sulphur is	A. -8 B. -6 C. +8 D. +6
36	The common oxidation number of halogens is	A. -1 B. +1 C. -2 D. 0
37	The oxidation state of carbon in $\text{C}_2\text{O}_4^{2-}$ is	A. +4 B. -4 C. +3 D. +2
38	The value of oxidation number of chlorine in HClO_3 is	A. +7 B. +5 C. -1 D. +3
39	In voltaic cell a salt bridge is used in order to	A. Pass the electric current B. Prevent the flow of ions C. Mix solutions of two half cells D. Allow movement of ions between two cells
40	In an electrochemical series, elements are arranged on the basis of	A. pH scale B. pK_a scale C. pOH scale D. Hydrogen scale
41	The standard electrode potential of hydrogen is arbitrarily taken at 298K is	A. 1.00 volt B. 0.10 volt C. 0.00 volt D. 10.0 volt
42	Coinage metals Cu, Ag and Au are the least reactive because they have	A. Negative reduction potential B. Negative oxidation potential C. Positive reduction potential D. Positive oxidation potential
43	During oxidation process, oxidation number of an element	A. Decreases B. Increases C. Remains constant D. Both a and b
44	Stronger is the oxidizing agent, stronger is the	A. emf of cell B. Oxidation potential C. Reduction potential D. Reduction potential
45	Which of the following metal does not liberate hydrogen on reaction with acid?	A. Mg B. Pt C. Zn D. Ca
46	Which one of the following elements is the strongest reducing agent?	A. Chlorine B. Sodium C. Magnesium D. Aluminium
47	Rusting of iron metal Fe occurs when Fe gets converted into Fe_2O_3 What happens with Fe?	A. Fe is neutralized B. Fe is sublimed C. Fe is reduced

		D. Fe is oxidized
48	During space flights, astronauts obtained water from	A. Nickel cadmium cells B. Lead accumulator C. Fuel Cell D. Alkaline battery
49	The electrolyte used in fuel cell is	A. KOH B. NaCl(aq) C. NaNO ₃ D. Molten NaCl
50	Which of the following molecules has angle of 120°	A. BeCl ₂ B. BF ₃ C. CH ₄ D. NH ₃
51	Which of the following bonds is not present in NH ₄ Cl	A. Ionic bond B. Covalent bond C. Co-ordinate covalent bond D. De-localized covalent bond
52	Most reactive among the following	A. Li B. Mg C. Ca D. Na
53	Geometry of NH ₃ is	A. ^{Tetrahedral} B. Square planar C. Pyramidal D. Linear
54	Which molecule is least ionic"	A. NaCl B. HCl C. HF D. CsF
55	In which molecule, all atoms are coplanar?	A. CH ₄ B. BF ₃ C. NH ₃ D. PH ₃
56	Total number of valence electrons in CH ₄	A. 8 B. 9 C. 10 D. 12
57	Which of the following best describes the shape and polarity of the carbon disulphide molecule?	A. Bent and polar B. Linear and non-polar C. Pyramidal and polar D. Bent and non-polar