

## Biology FSC Part 2 Online MCQ's Test

Sr	Questions	Answers Choice
1	Average loss of blood during birth in human female is about .	A. 150 cm <sup>3</sup> B. 250 cm <sup>3</sup> C. 350 cm <sup>3</sup> D. 450 cm <sup>3</sup>
2	Labour pains are induced by a hormone.	A. ACTH B. Oxytocin C. Progesterone D. Corticosteroid
3	From beginning of the third month of pregnancy's, the human embryo is referred to as the.	A. Foetus B. Neonate C. Placenta D. Young one
4	Towards the end of pregnancy, the reduction in progesterone level, stimulates pituitary gland to produce.	A. Oxytocin B. Oestrogen C. Androgen D. Pro lectin
5	Oviduct opens into	A. Uterus B. Cervix C. Vagina D. Bladder
6	Luteinizing hormone induces.	A. Flowering B. Vernalization C. Ovulation D. Menopause
7	Oestrus cycle, a reproductive cycle in found in as females except.	A. Cat B. Cow C. Humanin being D. Lion
8	The inner soft wall of human uterus is called.	A. Ectometrium B. Exometrium C. Endometrium D. Myoul
9	The increase of level of strongmen stimulation secretion of.	A. LH B. LTH C. TSH D. ACTH
10	The release of ovum from the ovary is called.	A. Ovulation B. Menstruation C. follicle atresia D. Menace
11	Menstrual cycle is called.	A. Menopause B. emotinal stress C. Menstruation D. Malnourishment effect of cycle.
12	The first convoluted part of vas deferent is called.	A. Epididymis B. Penis C. Sperm D. Scrotum
13	Find secreted by Sertoli cells provides liquid medium, protection and nourishment to.	A. Oocyte B. Sperms C. Polar body D. Spermatids
14	Sperm are formed in.	A. Vas deferens B. Collecting ducts C. Seminiferous tubules D. Epididymis
15	Discharge of egg from the ovary is called.	A. Oogenesis B. Ovulation C. Spermatogenesis D. Gametogenesis

---

16	Second meiotic division in oocytes, until fertilization proceeds as far as.	A. Prophase B. Metaphase C. Telophase D. Anaphase
17	A fluid is secreted to provide liquid medium, protection and nourishment.	A. Corpus luteum B. Follicle C. Uterus D. Sertoli

---