ICS Part 2 Computer Science Online Test

Sr	Questions	Answers Choice
1	Which of the following symbol is used with % sign to display output left-justified:	A. - B. / C. \ D. L
2	The general form of format specifier for floating point value:	A. %m.nf B. m.n% C. m%.nf D. m.n%f
3	The format specifier for output are:	A. %d for int and %f for float B. %c for char C. %s for string D. All
4	Which of the following is NOT legal element of control string in printf statement?	A. Ordinary characters B. Escape sequence C. Format specifier D. Variables
5	Which of the following is a possible value of flag?	A. - B. + C. Space D. All
6	Which of the following format specifiers is used for string?	A. %s B. %c C. %d D. %f
7	Which of the following format specifiers is used for float data type?	A. %s B. %c C. %d D. %f
8	Which of the following format specifiers is used for character data type?	A. %d B. %s C. %c D. %f
9	Which of the following format specifiers is used for integer data type?	A. %d B. %s C. %c D. %f
10	Format specifier is started with symbol:	A. ? B. % C. & D. *
11	Which of the following things are determined by format specifier?	A. Data type B. Field width C. Format of the value D. All of these
12	How many variables can be used in one printf function?	A. One B. Two C. Many D. Ten
13	Which of the following is displayed by printf function?	A. Text B. Constant or values of variable C. A and B D. Graphics
14	The format specifier %u is used for:	A. Integer B. Unsigned short C. Unsigned float D. Unsigned long int
15	The function getche() is defined in:	A. stdio.h B. conio.h C. string.h D. math.h

| 16 | The function that is used to display output on screen is called: | A. printf
B. scanf
C. pow
D. Display |
| 17 | The functions used for input and output is stored in: | A. stdio.h
B. conio.h
C. math.h
D. inout.h |