

## ECAT Pre General Science Physics Online Test

Sr	Questions	Answers Choice
Sr	Questions	Answers Choice
1	Micheal Faraday and joseph Henry belong respectively to:	A. USA and England B. England and France C. England and USA D. USA and France E. None of these
2	In magnet-coil experiment, emf can be produced by:	A. Keeping the coil stationary and moving the magnet B. Keeping the magnet stationary and moving the coil C. Relative motion of the loop and magnet D. Any one of above E. All above
3	The induced current in the loop can be increased by:	A. Using a strong magnetic field     B. Moving the loop faster     C. Replacing the loop by a coil of many turns     D. All of above     E. None of these
4	The induced current in a conductor depends upon:	A. Resistance of the loop B. Speed with which the conductor moves C. Any of these D. Both A and B E. None of these
5	The phenomenon of generation of induced emf is called:	A. Electrostatic induced     B. Magnetic induced     C. Electromagnetic induced     D. Electric induced     E. Both A and C
6	An induced current can be produced by:	A. <span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sansserif; background-image: initial; background-position: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-clip: initial; ">Constant magnetic field</span> B. <span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sansserif; background-image: initial; background-size: initial; background-size: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; ">Changing magnetic field</span> C. <span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-repeat: initial; background-attachment: initial; background-attachment: initial; background-origin: initial; background-clip: initial; ">Varying magnetic field</span> D.

		neignt: 107%; ront-ramily: Arial, sans- serif; background-image: initial; background-position: initial; background-size: initial; background- repeat: initial; background- attachment: initial; background-origin: initial; background-clip: initial;">None of these
7	An induced current can be produced by:	A. Constant magnetic field B. Changing magnetic field C. Varying magnetic field D. Constant electric field E. None of these
8	An emf is set up in a conductor when it:	A. Is kept in a magnetic field B. Is kept in an electric field C. Moves across a magnetic field D. Both A and B E. None of these
9	The current produced by moving a loop of wire across a magnetic field is called:	A. Direct current B. Magnetic current C. Alternating current D. Induced current E. None of these
10	Eddy current is produced when:	A. A metal is kept in varying magnetic field B. A metal is kept in steady magnetic field C. A circular coil is placed in a steady magnetic field D. A current is passed through a circular coil
11	Step up transformer has a transformation ratio of 3:2. What is the voltage in secondary, if voltage in primary is 30V:	A. 45 V B. 15 V C. 90 V D. 300 V
12	Which of the following quantities remain constant in step up transformer?	A. Current B. Voltage C. Power D. Heat
13	In a coil current change from 2 to 4 A in .05 s. If the average induced emf is 8V then coefficient of self-inductance is:	A. 0.2 henry B. 0.1 henry C. 0.8 henry D. 0.04 henry
14	The induced emf in a coil is proportional to:	A. Magnetic flux through a coil B. Rate of change of magnetic flux through the coil C. Area of the coil D. Product of magnetic flux and area of the coil
15	What is the coefficient of mutual inductance, when the magnetic flux changes by 2 X 10 <sup>-2</sup> Wb, and change in current is 0.01 A?	A. 2 H B. 3 H C. 1/2 H D. Zero
16	The device in which induced emf is statically induced emf is:	A. Transformer B. AC generator C. Alternator D. Dynamo
17	For inducting emf in a coil the basic requirement is that:	A. Flux should link the coil B. Change in flux should link the coil C. Coil should form a closed loop D. Both B and C are true
18	A spring of constant $k = 0.4 \text{ N m}^{-1}$ is to be extended through 10 cm at a place where $g = 10 \text{ m}$ sec <sup>-2</sup> . The mass to be suspended should be:	A. 4 gms B. 0.4 gm C. 40 gms D. None of these
19	A body with frequency would complete one vibration in:	A. f seconds B. 1/f seconds C. 1 second D. f <sup>2</sup> second
20	If a given spring of spring constant k is cut into two indentical segments, the spring constant of each segment is:	A. k/2 B. 2 k C. 4 k D. None of these
		A. Velocity

neignt: 107%; ront-ramily: Ariai, sans-

21	In SHM, there is always a constant ratio between displacement if body and its:	B. Period C. Mass D. Acceleration
22	The number of vibrations in two seconds can be expressed asif frequency of vibration is f.	A. f B. 2 f C. 3 f D. 1/2 f
23	If a force of 0.05 N produces an elongation of 20 mm in string, then its spring constant will be:	A. 250 N m <sup>-1</sup> B. 25 N m <sup>-1</sup> C. 2.5 N m <sup>-1</sup> D. None of these
24	If a mass of 10 gm is suspended from a spring of $k = 9.8 \text{ Nm}^{-1}$ , then the extension will be:	A. 1 cm B. 1 m C. 10 mm D. None of these
25	A particle is moving along a circular path with uniform speed. Its projection will executealong theof the circle:	A. Circular motion, circumference B. Vibrator, chord C. SHM, diameter D. SHM, circumference
26	The time taken to complete one vibration is called:	A. Frequency B. Amplitude C. Time D. Time period
27	When quarter of a cycle is completed, the phase of vibration is:	A. 90 <span style="font-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-position: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-origin: initial; background-origin: initial; background-origin: initial; background-lip: initial; background-position: initial; background-position: initial; background-repeat: initial; background-repeat: initial; background-origin: initial; background-size: initial; background-origin: initial; background-origin: initial; background-origin: initial; background-position: initial; background-size: 10.5pt; line-height: 107%; font-family: Arial, sans-serif; background-image: initial; background-size: initial; background-attachment: initial; background-origin: initial; background-lip: initial; background-lip: initial; background-position: initial; background-position: initial; background-repeat: initial; background-attachment: initial; background-origin: initial; background-size: initial; background-origin: initial; background-size: initial; background-origin: initial; b&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;28&lt;/td&gt;&lt;td&gt;The body oscillates due to accelerates and overshoots the rest position due to:&lt;/td&gt;&lt;td&gt;initial;">o</span> A. Applied force, inertia B. Restoring force, friction C. Frictional force, inertia D. Restoring force, inertia
29	Amplitude in SHM is equivalent to in circular motion:	A. Diameter B. Radius C. Circumference D. None of these
30	The graph showing the variation of displacement with time is a:	A. Sine curve B. Straight line C. Parabola D. None of these