

Mathematics FA Part 1 Online Test

| Sr | Questions | Answers Choice |
|----|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | If 4 ^x = 2, then x equals: | A. 2 |
| 2 | Which one is exponential equation: | B. 1 A. ax ² + bx + c = 0 B. ax + b = 0 D. 2 ^x = 16 |
| 3 | Which one is radical equation: | A. ax ² + bx + c B. ax + b = 0 D. 2 ^x = 16 |
| 4 | Question Image | A. c = 0 B. b = 0, c = 0 |
| 5 | Solution set of the equation $x^2 - 3x + 2 = 0$ is | A. {-1, 2} B. {1, -2} C. {-1, -2} D. {1, 2} |
| 6 | The other name of quadratic equation is: | A. linear equation B. 1st degree equation C. 2nd degree equation D. none |
| 7 | No. of ways of solving a quadratic equation: | A. 1 B. 3 C. 2 D. 4 |
| 8 | The trivial solution of the homogeneous linear equations is: | A. (1, 0, 0) B. (0, 1, 0) C. (0, 0, 1) D. (0, 0, 0) |
| 9 | If a matrix A is symmetric as well as skew symmetric, then: | A. A is null matrix B. A is unit matrix C. A is triangular matrix D. A is diagonal matrix |
| 10 | Question Image | A. scalar matrix B. diagonalmatrix C. triangularmatrix D. none of these |
| 11 | Question Image | A. scalarmatrix B. diagonalmatrix C. lower triangularmatrix D. uppertriangularmatrix |
| 12 | Question Image | A. scalar matrix B. diagonalmatrix C. lower triangularmatrix D. upper triangularmatrix |
| 13 | If A is a square matrix, then: | A. A ^t = A B. A ^t = -A C. A ^t = A D. A ^t = A |
| 14 | If any two rows of a square matrix are interchanged, the determinant of the resulting matrix: | A. is zero B. is multiplicative inverse of the determinant of the original matrix C. is additive inverse of the determinant the original matrix D. none of these |
| 15 | If each element in any row or each element in any column of a square matrix is zero, then value of the determinant is: | A. 0 B. 1 C1 D. none of these |
| 16 | Question Image | A. 9 B9 C6 |

| | | D. none |
|----|-----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| 17 | Question Image | A. 3 B3 C. 1/3 D1/3 |
| 18 | If two rows (or two columns) in a square matrix are identical (i.e. corresponding elements are equal), the value of the determinant is: | A. 0 B. 1 C1 D. ±1 |
| 19 | Question Image | A. 5 B. 14 C. 20 D. 6 |
| 20 | Question Image | A. 2 B2 C. 5 D5 |