

ICS Part 2 Computer Science Chapter 11 Online Test

Sr	Questions	Answers Choice
1	If $x=10$ and $y=5$, what will the output of the following expression? $x>y? x*y: x+y$	A. 5 B. 10 C. 15 D. 50
2	Conditional operator is an alternative of:	A. if B. if-else C. Nested if D. All
3	Switch statement is an alternative of:	A. if B. if-else C. Nested if D. Nested if-else
4	Which of the following is used for making two way decision:	A. if-else B. If C. Nested if D. Switch
5	Which operator in C is called a ternary operator?	A. if B. ++ C. ? D. ()
6	Conditional operator takes _____ operands.	A. 3 B. 2 C. 1 D. 5
7	Another term for a conditional operator is:	A. Ternary B. Binary C. Byte D. Iteration
8	Which of the following is equivalent to $(p \geq q)$?	A. $p \& \& q$ B. $!(p \& \& q)$ C. $p \& \& q$ D. $1p \& \& q$
9	The case block ends with:	A. End select B. End case C. Break; D. Case else
10	How many times is the test expression of a switch statement evaluated?	A. 0 B. 1 C. 2 D. Once for each case
11	The first line in switch block contains:	A. The value of the first criterion B. The expression to be evaluated C. The statement to be executed if none of the criteria are true D. The statement to be executed if the criterion are true
12	A case can be defined as:	A. An individual condition to test B. A set of condition of test C. A statement that includes as if statement D. A block of selection
13	Which of the following are valid case statements in a switch?	A. Case 1: B. Case $x \& \& 4$: C. Case 'ab': D. Case 1.5:
14	Which is an example of multiple branches form single expression?	A. If statement B. Switch statement C. While loop D. All

A. Relational operator

