

## ICS Part 2 Computer Science Chapter 12 Online Test

Sr	Questions	Answers Choice
1	Where should be the loop control variable initialized?	A. Before the loop starts B. In the first statement of the loop body C. In the last statement of the loop body D. Anywhere in the loop body
2	A counter can be defined as:	A. The final value of a loop B. A variable that counts loop iterations C. The initial value of a loop D. The step value of a loop E.  
3	How many types of loop structure are available in C language?	A. While B. Do-while C. For D. All
4	This is a control structure that causes a statement or group of statement to repeat:	A. Decision statement B. Duration C. Iteration D. Test
5	The keyword used to transfer control from the body of loop to the start of loop is	A. Exit B. Continue C. Break D. End
6	The keyword used to come out of the body of loop is	A. Exit B. Continue C. Break D. Ebd
7	A loop within another loop is called	A. Inner loop B. Nested loop C. Counter loop D. None
8	A loop whose execute never ends is called	A. Nested loop B. Forever loop C. Infinite loop D. Counter loop
9	Repetition structure is used to execute a statement or set of statement	A. Once B. More than one time C. Skip statement D. All
10	The loop structure in which condition comes after the body of the loop is	A. While B. Do-while C. For D. All
11	The loop structure that executes at least ones is	A. While B. Do-while C. For D. All
12	Which of the following statement can be used in C	A. While B. For C. Do while D. All
13	_____ are used to enter data into databases	A. Queries B. Reports C. Tables D. Forms
14	Redundancy means	A. Duplication B. No-duplication C. Standards D. Microsoft office integration

\_\_\_\_\_ are used to move around the window if its contents do not fit on screen

- A. menu bar
- B. Tool bar
- C. Scroll bar
- D. Status bar