

NAT II Physical Science

Sr	Questions	Answers Choice
1	LLC stands for	A. Local link control B. Local layout control C. Local logical control D. Logical link control
2	FIFO stands for	A. Final in final out B. First in final out C. Final in first out D. First in first out
3	Which of the following device is used to connect different types of networks	A. Repeater B. Bridge C. Router D. Gateway
4	CRT stands for	A. Central ray tube B. Common ray tube C. Cathode ray tube D. Carrier ray tube
5	The main function of computer is	A. Data processing B. Storing information C. To require results D. Logical operations
6	Which of the following is the first tab in the page setup dialogue box	A. Page B. Margins C. Header or footer D. Sheet
7	The function = SQRT(25) will return which of the following value	A. 16 B. 8 C. 5 D. 2
8	Access IDE is an	A. Program B. Interface C. Database files D. Database problems
9	Access is a	A. DBMS B. RDBMS C. DDL D. DML
10	In Access database, field size is	A. 20 B. 50 C. 30 D. Specific for each
11	In database, data exists only in the form of	A. Files B. Records C. Data items D. Tables
12	DBA works closely with	A. Database B. Operating system C. Users D. Programmers
13	DBA is a	A. Programmer B. Database user C. Database manager D. Client
14	A record is a collection of	A. Files B. Data items C. Data files D. Information
15	Data base is a collection of	A. Data B. Information C. Files D. All of these

