

Statistics Ics Part 1 Online Test

Sr	Questions	Answers Choice
1	Mid poitn of the group. 5.5 - 7. 5 in	A. 6 B. 6.5 C. 7 D. 7.5
2	Frequeucny is denoted by	A. f B. c C. q D. p
3	The numebr of classes in a frequency distribution is obtained by dividing the range of variable by the.	A. Total frequency B. Class interval C. Relative frequency D. Mid -points
4	Histogramis a graph of.	A. Qualitative data B. Time sereis C. Ogive D. Frequency distribution
5	The average of lower and upper class limits is called.	A. Class boundary B. class frequency C. Class mark D. Class limit
6	An arrangement of data to show the frequency of occurrence is called.	A. Frequeuncy distribution B. Probability distribution C. Data array D. Cumulative distribution
7	A statistical table has at least.	A. Five parts B. Four parts C. Three parts D. Two parts
8	Total angle of pie-chart is.	A. 270 ^o B. 300 ^o C. 320 ^o D. 360 ^o
9	The grouped data is.	A. Primary B. Secondary C. Raw data D. None of them
10	A chart in which total magnitude and its compnents are compared is called a	A. Component bar chart B. Pie chart C. Percentage compoent bar chart D. All of these
11	If a curve has a longer tail to the left . it is called a.	A. Symmetrical curve B. Positive skewed curve C. Negatively skewed curve D. None of these
12	If a curve has a longer tail to the right , it is called a.	A. J - Shaped curve B. Negative skewed curve C. Positively skewed curve D. Symmetrical curve
13	Give classes, 1 - 6, 6 - 10..... class interval is.	A. 5.5 B. 3 C. 4 D. 5
14	Classification of data by quantitative characteristcs is called.	A. Qualitative classification B. Quantitative classificaton C. Geographical classification D. Temporal classification
15	Classification of data by their time of occurrence is called.	A. Temporal or choronologicla classification B. Geographical classification C. Quantitative classification D. Qualitative classification

16 a graph of a cumulative frequency distribution is called.

- A. Histogram
- B. Ogive
- C. Frequency polygon
- D. None of these

17 Which of the following statements is true.

- A. As a rule statisticians generally use between 6 and 15 classes.
- B. As a rule, statisticians regard a frequency distribution incomplete if it has fewer than 20 classes.
- C. Classes describe only one characteristic the data are organized
- D. None of these